

Sticklers™ Fibre Optic Splice & Connector Cleaner

Cleaning Fluid

Product Features:

- Fast evaporating, no residue optical grade cleaning fluid for cleaning fibre
- Not regulated for transport by land, sea or air
- Nonflammable, nontoxic
- Dissipates electrostatic charges
- Compliant with Ventura County Air Pollution Control District Rule 74.6; reference 74.6; B.2.C
- ROHS and REACH compliant



Typical Cleaning Applications:

Pigtails and bare fibres for fusion splicing

Ribbon fibres for mass fusion splicing

Splicing plastic optical fibres and connectors

Ceramic and composite ferrules

Most glass and plastic photonic lenses

Suitable cleaning fluid for tool kits



@ SticklersCleaners.com

Patented Triton™ dispenser enables 3 cleaning methods

| Packaging: | 85 g (3oz) NET fluid weight | 284 g (10 oz) NET fluid weight |
|--------------------|--|--|
| Part Number | MCC-POC03M Travel Safe | MCC-POC10M |
| Cleans Per Can | 650+ | 2500+ |
| NSN# | 6850-01-592-9391 | N/A |
| REACH# | 01-2119899252-29-0001 | 01-2119899252-29-0001 |
| Can Specifications | 120 grams - total can weight39 mm OD x 130 mm H | 374 grams - total can weight66 mm OD x 172 mm H |
| Case Dimensions | 203 mm L x 152 mm W x 152 mm H | 305 mm L x 229 mm W x 178 mm H |
| Case Quantity | 12 Cans per Case | 12 Cans per Case |
| GHS/HCS Pictogram | Not Applicable | Not Applicable |
| Recycle Symbol | 40) FE | AQ FE |



Travel Sale 85 g (3 oz) can (MCC-POC03M) comes in hassle-free travel size packaging.



Sticklers™ Fibre Optic Splice & Connector Cleaner conforms to the following Fibre Optic Industry Standards:

| Industry Standards | Section | Description |
|-------------------------------|---------|---|
| ANSI/TIA 455-240 2009 | | Fibre Optic Connector End-Face Cleaning Evaluation |
| ANSI/TIA 568.3D-2016 | E.3.5 | Connector End-Face Cleaning |
| ARINC 805-4 | | Fibre Optic Test Procedures |
| ARINC 806-5 | | Fibre Optic Installation & Maintenance |
| AT&T ATT-TP-76461 | | Inspecting & Cleaning End-Faces |
| Cisco Systems Doc: 51837 | | Inspecting & Cleaning Procedures for Fibre Connectors |
| IBM SY27-2597-15 | | Cleaning End-Faces for Maintaining Fibre Links |
| IEC 61300-3-35 | 5.3 | End-Face Cleaning |
| IEC 61627-1 | 7.8 | Acceptable Wet-Dry End-Face Cleaning |
| IEC 62627-1 | 9.3 | Procedure Wet-Dry Cleaning w/ Reel Type Cleaners |
| IEC 61627-1 | 9.4 | Procedure Wet-Dry Cleaning w/ Sticks & Clickers |
| IPC 8497-1 | 7.3.6 | Cleaning Fluids & West Swabs & Face Cleaning |
| IPC 8497-1 | 10 | Minimizing Electrostatic Charge Effect |
| NASA-STD 8739.5A | 8 | Cleaning Workmanship Standards |
| SAE AIR6031 | | End-Face Cleaning |
| SAE ARP 6283 | 8.6 | Approved Cleaning Solvents |
| SAE ARP 6283 | 9.1.1 | Wet-Dry Cassette Cleaning |
| Telcordia GR2923 CORE Issue 2 | | End-Face Cleaning |
| Telcordia GR765-CORE | | Fusion Splicing Materials & Consumables Criteria |
| Verizon VZ.TRP.9461 | 5.0 | End-Face Cleaning |

When You Need Perfectly Clean Splices & Connectors™



SticklersCleaners.com



MicroCare, LLC

595 John Downey Drive 595 John Downey Drive New Britain, CT 06051 USA Tel: +1 860 827 0626 Toll Free: 1 800 638 0125

MicroCare U.K. Ltd

Unit 4, Whitehall Court LS12 5SN UK Tel: +44 (0) 113 3609019 MicroCare Asia Pte Ltd

102E, Pasir Panjang Road Citilink, #05-06 Singapore 118529 Tel: +65 6271 0182 Email: TechSupport@MicroCare.sg



For more information and to download SDS visit our website: SticklersCleaners.com